Poisoning Deaths

Poisoning Deaths

•Most recent data (2014): 12.3 deaths per 100,000, including 273 deaths.

•Trend over time: 2000-06: rising; 2006-14: flat •Healthy People 2020 Goal: 11 per 100,000 or lower

Poisoning deaths, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	10.5	9.9	11.2	226
AGE				·
<18	0.2 §	0.1 §	0.5 §	1
18-24	9.9	7.9	12.2	17
25-44	13.8	12.5	15.2	85
45-64	21.4	19.7	23.3	114
65+	4.1	3.0	5.5	9
GENDER	,			
Male	14.0	13.0	15.0	150
Female	7.0	6.3	7.8	76
RACE/ETHNICITY				
AIAN	27.6	18.6	43.4	6
Asian	1.9	1.3	2.8	6
Black	18.9	15.7	22.8	25
Hispanic	6.2	4.4	9.4	10
Multiple	7.8	4.8	14.0	5
NHPI	*	*	*	*
White	11.7	10.9	12.5	182
NEIGHBORHOOD POVERTY				
High	19.7	17.4	22.3	53
Medium	9.8	9.0	10.6	132
Low	6.5	5.5	7.7	30
REGION				
East	6.4	5.5	7.5	34
North	11.2	8.7	14.2	14
Seattle	12.4	11.2	13.7	86
South	11.0	10	12.2	82
STATE				
Washington State	11.7	11.4	12.1	831

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poisoning deaths King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Poisoning deaths by health reporting areas, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	10.5	9.9	11.2	226
Aubum	14.4	10.5	19.4	9
Auburn-North	13.5	8.8	19.9	5
Auburn-South	15.6	9.3	25.1	4
Bear Creek/Carnation/Duvall	7.5	4.5	12.2	5
Bellevue	6.7	4.8	9.0	9
Bellevue-Central	8.0	4.3	13.8	3
Bellevue-NE	6.2 §	3.0 §	11.5 §	2
Bellevue-South	6.7 §	2.9 §	13.8 §	2
Bellewe-West	7.1 §	3.5 §	13.5 §	2
Black Diamond/Enumclaw/SE County	16.2	11.0	23.0	7
Bothell/Woodinville	3.9 §	1.5 §	8.5 §	1
Burien	10.4	6.8	15.3	5
	5.5	3.1	9.8	3
Covington/Maple Valley		8.2	19.5	5
Des Moines/Normandy Park	12.9	-		
East Federal Way	13.0	8.1	20.2	5
Fairwood	5.3 §	1.9 \$	13.4 §	1
Federal Way	12.0	9.0	15.7	11
Fed Way-Central/Military Rd	13.1	9.3	18.2	8
Fed Way-Dash Point/Woodmont	10.4	6.0	17.3	3
Issaquah	7.8	3.9	14.5	2
Kenmore/LFP	13.7	8.7	20.8	5
Kent	8.2	6.1	10.9	10
Kent-East	9.2	5.3	15.4	3
Kent-SE	9.6	6.3	14.4	5
Kent-West	4.4 §	1.7 §	11.6 §	1
Kirkland	7.6	5.2	10.8	7
Kirkland	6.7	3.9	11.0	4
Kirkland North	9.2	5.2	15.6	3
Mercer Isle/Pt Cities	*	*	*	*
Newcastle/Four Creeks	11.1	6.1	19.3	3
North Highline	23.6	14.9	36.8	5
Redmond	6.9	4.0	11.3	4
Renton	11.0	8.4	14.1	13
Renton-East	5.2 [§]	2.4 §	11.1 [§]	2
Renton-North	11.3	6.7	18.4	4
Renton-South	14.5	10.2	20.2	8
Sammamish	*	*	*	*
SeaTac/Tukwila	14.3	10	20.4	7
Seattle	12.4	11.2	13.7	86
Ballard	7.3	4.5	11.8	4
Beacon/Gtown/S.Park	11.5	7.5	17.2	5
Capitol Hill/E.lake	11.4	7.5	17.9	6
Central Seattle	12.6	8.6	18.5	6
Delridge	14.2	9.0	22.4	5
Downtown	45.2	37.2	60.5	23
Fremont/Greenlake	6.9	4.1	12.2	4
NE Seattle	7.3	4.5	11.3	4
North Seattle	12.0	8.0	18.0	6
NW Seattle	17.8	12.7	24.8	8
QA/Magnolia	9.3	6.2	14.1	6
SE Seattle	7.8	4.6	12.6	4
West Seattle	6.6	3.9	11.1	4
Shoreline	14.5	10.3	20.1	8
Snoqualmie/North Bend/Skykomish	6.0	3.3	11.5	3
Vashon Island	*	*	*	*

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poisoning deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Poisoning deaths King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Trends over time: King County (2000-06: rising; 2006-14: flat); East KC (2000-14: rising); North KC (2000-14: flat);

Seattle (2000-06: rising; 2006-14: flat); South KC (2000-06: rising; 2006-14: flat); Washington State (2000-07: rising; 2007-14: flat)

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

08/16

